

WO 2005/034044 PCT/JP2004/014885

FIG. 2A







FIG. 2B





3/21






FIG. 6







FIG. 7







PCT/JP2004/014885

FIG. 10 Start S2 Send read instruction of IC tag information to IC reader **S4** Receive IC tag information **S6** Check recall product information S8 Identify location of TV to be recalled √S10 Display recall notification on TV to be recalled End

WO 2005/034044 PCT/JP2004/014885

FIG. 11

96ر

Name of manufacturing plant		Nara plant
Date of manufacturing		2000.1.1~2000.12.31
onent nation	Name of component	А
	Component product	123
Comp	Name of component manufacturer Component product number Period of component manufacturing	1999.2.3~1999.10.1






FIG. 13


	Heat	Temperature	Mounting location		
Name of component	resistant temperature accelera	acceleration	Х	у	θ
0603CR	200°C	1.5°C/ s²	10	10	20
1005CR	150°C	3°C/ s ²	18	25	0
0112QP	300℃	5°C/ s ²	19	40	5
011201					

FIG. 14





14/21



PCT/JP2004/014885

WO 2005/034044




FIG. 18

		96
Duintad	Product number	532C
Printed board information	Lot number	1618
Imorridation		

FIG. 19

		96
	Product number	125A
Component information	Lot number	38278

FIG. 20

Component product number 241B

Head in use H204

Pick-up nozzle in use N335

Tact time Not more than 0.01sec

Cassette in use C384

Camera in use CMR849

PCT/JP2004/014885

WO 2005/034044

FIG. 21

96 Product number HA387 Solder 692AB Lot number information Not less than 30 minutes Processing time Product number V187 Glue 3547B Lot number information Not less than 25 minutes Processing time

WO 2005/034044 PCT/JP2004/014885





FIG. 23



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.